
Date of submission: 10/06/2016
Submitted by: Roboni Tur

Submitted by:		Robooni Tumuhimbise (NARO)			
	Accession name	Pickture	6.2.1 Pseudostem height (m)	6.2.5 Predominant underlying colour of pseudostem	6.2.7 Sap colour
1	2919		1. ≤ 2	green	watery
2	7197-2		3. ≥ 3	green	watery
3	8075		2. 2,1 to 2,9	green	watery
4	1603		3. ≥ 3	green	watery

_	T			Ī	
5	5265-1	50850	2. 2,1 to 2,9	medium green	watery
6	919	S10	2. 2,1 to 2,9		watery
7	3142k-3	20087-4-01			watery
8	81k				milky
9	2710	2210			watery

	1119		2. 2,1 to 2,9	medium green	milky
11	1702	THOS.	3. ≥ 3	green	watery
12	02145/1320	aces serious de la constantina della constantina			watery
13	F1C4N		3. ≥ 3		watery
14	TMB2X9172	TM22-0/72			watery

	-				
15	TMB2X6142	TMB2×6142	1. ≤ 2	green	milky
16	SH3142		3. ≥ 3	pink/purple	watery
17	TMB2X5105-5	THE STORY OF THE S			
18	201087-3	ZZIOGETS	2. 2,1 to 2,9	green	watery
19	1019				



24	2215			
25	ZEBRINA GF	1.≤2	pink red	milky
26	1814		light green	watery
27	716	J. = 0	iigiit groon	TALUTY

28	703		3. ≥ 3	green pink	milky
29	201071k	201071 K	2. 2,1 to 2,9		milky

6.3.1 Blotches at the petiole base	6.3.3 Petiole canal leaf III	6.3.4 Petiole margins	6.3.6 Petiole margins colour	6.3.7 Edge of petiole margin
medium	Curved	3. Winged and clasping	1. Green	1. Colourless
large blotches	Curved	2. Winged and not clas	1 Green	1. Colourless
large stockto	04.104			
		E National and and	4.000.00	O With a salawalina
medium	straight with erect	5. Not winged and not	1. Green	2. With a colour line a
large	open and sreadin	3. Winged and clasping	1. Green	2. With a colour line a

small	wide with erect	4. Not winged and clas	1 Croon	1. Colourless
Silieni	wide with elect	4. Not winged and clas	T. Gleen	1. Colouness
small	wide with erect	4. Not winged and clas	1. Green	2. With a colour line a
small	small and erect	2 Winged and not along	1 Green	2 With a colour line
		2. Winged and not clas		2. With a colour line a
without	marg.overlapping	3. Winged and clasping	1. Green	1. Colourless
sparce	wide with erect	4. Not winged and clas	1. Green	2. With a colour line a

small	margins curved	4. Not winged and clas	2. Pink-purple to re-	2. With a colour line a
small	straight with erect	2. Winged and not clas	2. Pink-purple to re	2. With a colour line a
small	straight with erect	4. Not winged and clas	ping the pseudoster	2. With a colour line a
	on angine man or oot	The time god and olde	ping the pedagotte.	2
large	straight with erect	4. Not winged and clas	1. Green	2. With a colour line a
small	wide with erect	3. Winged and clasping	1. Green	2. With a colour line a

small	Curved	3. Winged and claspin	1. Green	1. Colourless
samll	Curved	4. Not winged and clas	1. Green	2. With a colour line a
small	open	3. Winged and claspin	1. Green	1. Colourless

large		1. Winged and undulat		
large	margin spreading	1. Winged and undulat	4. Other	1. Colourless

small	margins spreading	1. Winged and undulat	Pink-purple to re-	2. With a colour line a
<u>Gridan</u>	margine oproduing	T. TTINGGO CITO CITOCOCC	2.1 11110 parpio to 10	2. That is colour into t
very small	margins spreading		2. Pink-purple to re	2. With a colour line a

6.3.22 Colour of cigar leaf dorsal surface	6.4.6 Bunch	6.4.7 Bunch shape	6.4.12 Rachis position	6.4.13 Rachis appearance	6.4.15 Male bud shape
1. Green	3. Hanging at a 45° a	Cylindrical with the	1. Falling vertically	2. Neutral flowers (o	1. Like a top
1. Green	3. Hanging at a 45° a	Cylindrical with the	Falling vertically	3. Male flowers / bra	2. Lanceolate
1. Green	1. Hanging vertically	1. Cylindrical with the	1. Falling vertically	1. Bare	2. Lanceolate
1. Green	4. Horizontal	Cylindrical with the	Falling vertically	2. Neutral flowers (o	3. Intermediate

1. Green	3. Hanging at a 45° a	Cylindrical with the	Falling vertically	1. Bare	3. Intermediate
1. Green	3 Hanging at a 45° a	Cylindrical with the	Falling vertically	1. Bare	2. Lanceolate
1. 010011	o. Hanging at a 10 to	T. Cymranoar with the	1. I dilling Vorticully	T. Baro	z. Lanoodato
1. Green	3. Hanging at a 45° a	2. Truncated cone sh	Falling vertically	1. Bare	3. Intermediate
1. Green	3. Hanging at a 45° a	2. Truncated cone sh	Falling vertically	1. Bare	3. Intermediate
1. Green	2. Slightly angled	Cylindrical with the	Falling vertically	1. Bare	3. Intermediate

4.0000	O Olivitation and advantage	A O Produced with the	O. With a sure	4 Davis	O. Languaglata
1. Green	2. Slightly angled	Cylindrical with the	3. With a curve	1. Bare	2. Lanceolate
1. Green	Slightly angled	2. Truncated cone sh	1 Falling vertically	1 Bare	3. Intermediate
1. Green	Hanging vertically	1. Cylindrical with the	1. Falling vertically	2. Neutral flowers (o	2. Lanceolate
1. Green		1. Cylindrical with the			2. Lanceolate
1. Green	2. Slightly angled	1. Cylindrical with the	ı∠. At an angle	1. Bare	3. Intermediate

4. Horizontal	Cylindrical with the	Falling vertically	2. Neutral flowers (o	3. Intermediate
3. Hanging at a 45° a	1. Cylindrical with the	1. Falling vertically	1. Bare	2. Lanceolate
4. Horizontal	1. Cylindrical with the	bunch length > to to	wice its diameter	2. Lanceolate
4. 110H20Hdi	1. Cymrancai with the	bunch longer > to a	wice its diameter	Z. Edifocolate
	3. Hanging at a 45° á	3. Hanging at a 45° a1. Cylindrical with the	3. Hanging at a 45° a 1. Cylindrical with the 1. Falling vertically	3. Hanging at a 45° a 1. Cylindrical with the 1. Falling vertically 1. Bare

	1				
1. Green	3. Hanging at a 45° a	2. Truncated cone sh	2. At an angle	4. Neutral / male flov	1. Like a top
1. Green	2. Slightly angled	1. Cylindrical with the	bunch length > to to	3. Male flowers / bra	1. Like a top

1. Green	Hanging vertically	1. Cylindrical with the	Falling vertically	2. Neutral flowers (o	4. Ovoid
1. Green	3. Hanging at a 45°	1. Cylindrical with the	1. Falling vertically	2. Neutral flowers (o	2. Lanceolate

6.4.16 Male bud			6.5.4 Colour of	6.5.5 Colour of	6.5.12 Bract	Compound	colour of
size at harvest	6.5.2 Bract apex		the bract	bract internal	behavior	tepal basic	compound
(cm)	shape	imbrication	external face	face	before falling	colour	tepal
1. ≤ 20	2. Slightly pointed	Old bracts overl	red purple	3. Orange red	1. Revolute	5. Pink / Pink	3. Orange
1. ≤ 20	2 Slightly pointed	Old bracts overl	an at anex of hud				
1. = 20	2. Originity pointed	T. Old Blacks Svoll	ap at apox of baa				
1. ≤ 20	1. Pointed	Old bracts overl	red purple	7. Pink-purple	1. Revolute	6. Other	5. Other
1. ≤ 20	1. Pointed	<ol> <li>Old bracts overl</li> </ol>	ap at apex of bud	4. Red	1. Revolute	1. White	3. Orange

1. ≤ 20	2. Slightly pointed	Old bracts overl	Red	4. Red	1. Revolute	1. White	5. Other
1. ≤ 20	2. Slightly pointed	Old bracts overl	Pod	4. Red	1. Revolute	6. Other	5. Other
1. \( \) 20	2. Slightly pointed	1. Old bracts over	Reu	4. Reu	1. Revolute	6. Otner	5. Other
1. ≤ 20	1. Pointed	1. Old bracts overl	red	7. Pink-purple	1. Revolute	1. White	5. Other
1. ≤ 20	1. Pointed	1. Old bracts overl	ap at apex of bud	4. Red	1. Revolute	2. Cream	2. Yellow
1. ≤ 20	1. Pointed	1. Old bracts overl	Red	3. Orange red	1. Revolute	1. White	2. Yellow

1. ≤ 20	5. Obtuse and spl	1. Old bracts overl	Red	3. Orange red	1. Revolute	2. Cream	2. Yellow
2. 21 to 30	2. Slightly pointed	Old bracts overl	Green	7. Pink-purple	1. Revolute	6. Other	2. Yellow
1. ≤ 20	1. Pointed	Old bracts overl	Red	3. Orange red	1. Revolute	2. Cream	2. Yellow
1. ≤ 20	1. Pointed	Old bracts overl	ap at apex of bud	3. Orange red	1. Revolute	2. Cream	2. Yellow
							0.14.11
1. ≤ 20	1. Pointed	1. Old bracts overl	Red	4. Red	1. Revolute	1. White	2. Yellow

2. 21 to 30	1. Pointed	1. Old bracts overl	Red	4. Red	1. Revolute	5. Pink / Pink	2. Yellow
2. 21 to 30	1. Pointed	1. Old bracts overl	Red	4. Red	1. Revolute	2. Cream	2. Yellow
							_
1. ≤ 20	2. Slightly pointed	Old bracts overl	ap at apex of bud	3. Orange red	1. Revolute	6. Other	5. Other

1. ≤ 20	Slightly pointed	Old bracts overl	purple red	4. Red	1. Revolute	5. Pink / Pink	3. Orange
		1. Old bracts overl		6. Purple brown			5. Other

1. ≤ 20	3. Intermediate	Old bracts overl	purple red	5. Purple	1. Revolute	5. Pink / Pink	5. Other
1. ≤ 20	2. Slightly pointed	Old bracts overl	white	1. Whitish	1. Revolute	2. Cream	1. Cream

	Dominant	7.10	of fruits on mid-			
6.6.13 Anther	colour of male		hand of the	6.7.3 Fruit	6.7.4 Fruit	6.7.6 Fruit
colour	flower	hands	bunch	length (cm)	shape	арех
5. Brown / rusty b	5. Red-purple	7	2. 13-16	2. 16-20	1. Straight (or	2. Lengthily p
		6	1. ≤ 12	1. ≤ 15	1. Straight (o	1. Pointed
7. Black (anthers	3. Yellow	8	3. ≥ 17	2. 16-20	1. Straight (or	3. Blunt-tippe
6. Pink / pink-purp	1. White	9	3. ≥ 17	2. 16-20	1. Straight (or	3. Blunt-tippe

	l			1		
1. White	1. White		2 > 17	1 < 15	1 Stroight (or	3. Blunt-tippe
T. Writte	1. Wille	0	3. ≥ 17	1. ≤ 15	1. Straight (of	3. Биличирре
6. Pink / pink-purp	5. Red-purple	5	2. 13-16	1. ≤ 15	1. Straight (or	3. Blunt-tippe
1. White	1. White	4	2. 13-16	1. ≤ 15	1. Straight (or	1. Pointed
2. Cream	2. Cream		2. 13-16	1. ≤ 15	1. Straight (or	
1. White	1. White	<u> </u>	1. ≤ 12	1. ≤ 15	1. Straight (or	r. Pointed

2. Cream	2. Cream	4	1. ≤ 12	1. ≤ 15	3. Curved (sh	1. Pointed
2. Cream	2. Cream	5	1. ≤ 12	1. ≤ 15	1. Straight (or	2. Lengthily p
2. Cream	2. Cream	4	1. ≤ 12	1. ≤ 15	2. Straight in	3. Blunt-tippe
2. Cream	2. Cream	11	3. ≥ 17	2. 16-20	2. Straight in	1. Pointed
1. White	1. White	9	1. ≤ 12	1. ≤ 15	4. Curved in '	2. Lengthily p

6. Pink / pink-purr	5. Red-purple  2. Cream		1. ≤ 12 1. ≤ 12	1. ≤ 15 2. 16-20	Straight in     Straight in	
1. White	1. White	5	2. 13-16	1. ≤ 15	3. Curved (sh	1. Pointed

5. Brown / rusty b	4. Pink	8	3. ≥ 17	2. 16-20	2. Straight in	1. Pointed
2. Cream	1. White	20	3. ≥ 17	2. 16-20	4. Curved in "	S' shape (doul

1. White	2. Cream	7	2. 13-16	1. ≤ 15	1. Straight (or 1	Pointed
1. vvnite	2. Cream	/	2. 13-16	1. ≤ 15	1. Straight (of 1	. Pointed
1. White	1. White	8	2. 13-16	2. 16-20	1. Straight (or 1	. Pointed

6.7.7 Remains of flower relicts at fruit apex	6.7.8 Fruit pedicel length (mm)	6.7.11 Fusion of pedicels
2. Persistent style	1. ≤ 10	Very partially or no visible sign of fusic
2. Persistent style	1. ≤ 10	Partially fused
Without any floral relicts	1. ≤ 10	Very partially or no visible sign of fusic
2. Persistent style	1. ≤ 10	Very partially or no visible sign of fusic

	T	
2. Persistent style	1. ≤ 10	Very partially or no visible sign of fusic
Persistent style	1. ≤ 10	Very partially or no visible sign of fusic
Without any floral relicts	1. ≤ 10	1. Very partially or no visible sign of fusic
Without any floral relicts  A Without any floral relicts	1.≤10	Very partially or no visible sign of fusic
Without any floral relicts	1. ≤ 10	1. Very partially or no visible sign of fusic

Persistent style	2. 11 to 20	Partially fused
2. 1 dioistont digits	2. 11 10 20	2. Fartiary 1900a
Without any floral relicts	1. ≤ 10	Very partially or no visible sign of fusic
2. Development and	1. ≤ 10	Partially fused
2. Persistent style	1. ≥ 10	Z. Pattially lused
2. Persistent style	1. ≤ 10	Very partially or no visible sign of fusio
Without any floral relicts	1. ≤ 10	2. Partially fused

2. Persistent style	1. ≤ 10	Very partially or no visible sign of fusion
Without any floral relicts	1. ≤ 10	2. Partially fused
2. Persistent style	1. ≤ 10	Very partially or no visible sign of fusic

2. Persistent style	1. ≤ 10	1. Very partially or no visible sign of fusic
2. Persistent style	1. ≤ 10	1. Very partially or no visible sign of fusic

Without any floral relicts	2. 11 to 20	2. Partially fused
Without any floral relicts	1. ≤ 10	Partially fused

descriptors)			
succeptible to	black sigatoka		
_			
disease resista	ant		

resistant to black sigatoka
Toolotan to black digatoka
augentible to block signtoke
succeptible to black sigatoka
succeptible to black sigatoka
succeptible to black sigatoka
succeptible to black sigatoka
อนบบธคนามเธ เบ มเสบห อเชลเบหิส

resistant to black sigatoka
resistant to black sigatoka
n

	١
resistant to black sigatoka	
	٦
	Į
resistant to black sigatoka	
roototant to black organora	٦
annual Chia ta bha da chartalan an dha a ba a banna	
succeptible to black sigatoka and has less leaves	-

resistant to black sigatoka	
recional to black organica	
stout and disease resistant	
Stout and disease resistant	

resistant to black sigatoka		
Toolotant to black digatoka		
resistant to black sigatoka		